

SEFAR® GLASSLINE	vazba		velikost oka	jmenovitý průměr vlákna	stupeň otevřenosti síta	tloušťka síťoviny	teoretický objem barvy	SERVIS CENTRUM 														
								dodávané šíře														
označení - cm/palec			μm	μm	%	μm	cm ³ / m ²	cm palec	115 45	142 56	158 62	162 64	186 73	212 83	234 92	260 102	320 126	365 143	400 157			
43/110-80W	PW	1:1	149	80	41	130	53															x
48/123-70W	PW	1:1	133	70	41	111	45										o					o
54/137-64W	PW	1:1	115	64	39	100	39															o
61/156-64W	PW	1:1	90	64	30	100	30				x			x		o	o					o
61/156-64Y	PW	1:1	90	64	30	100	30										o					
68/175-55W	PW	1:1	85	55	33	84	28							x	x	o	x					o
68/175-55Y	PW	1:1	85	55	33	84	28							x		x	x					
77/195-48W	PW	1:1	77	48	35	76	27										o					
77/195-48Y	PW	1:1	77	48	35	76	27				x		o		x		x					
77/195-55W	PW	1:1	67	55	27	84	22		o		x		x	x	o	x	x					o
77/195-55Y	PW	1:1	67	55	27	84	22			x	x		x	x	o	o	x					
90/230-40Y	PW	1:1	68	40	37	60	22				o				x							

SEFAR® GLASSLINE		vazba	velikost oka	jmenovitý průměr vlákna	stupeň otevřenosti síta	tloušťka síťoviny	teoretický objem barvy	SERVIS CENTRUM  dodávané šíře											
označení - cm/palec								cm palec	115 45	142 56	158 62	162 64	186 73	212 83	234 92	260 102	320 126	365 143	400 157
90/230-48W	PW	1:1	52	48	22	75	16						x			x	o		o
90/230-48Y	PW	1:1	52	48	22	75	16				x		o	x		x	o		x
100/255-40W	PW	1:1	57	40	32	62	20		x			o				x			
100/255-40Y	PW	1:1	57	40	32	62	20					x	o	o		o			
120/305-34W	PW	1:1	45	34	29	52	15		x			x							
120/305-34Y	PW	1:1	45	34	29	52	15		x			x							

podmínky objednání u dodavatele:

x – skladem v SC, termín dodání 1-2 dny

x – skladem v SEFARU, termín dodání 1-2 týdny, objednávka podmíněna minimálním množstvím (1 role cca 25 bm)

o – objednávka na dotaz, objednávka podmíněna minimálním množstvím (1 role cca 25 bm)